

本目录所提供的数据仅供参考，以产品为准。如有改动，恕不另行通知，最终解释权属本公司所有。
Specification on this for reference only, please refer to the machine for actual deta, and forgive
no notice when some change. The final explanation right of this will be hold by us.

一站
ONE STOP
更专业
MORE PROFESSIONAL

式
SERVICE
服务
TRUSTWORTHY
值得信赖



佛山市喜之洋制冷厨具设备有限公司
Foshan Xizhiyang Kitchen Refrigeration Equipment Co., Ltd.

佛山市金富贵制冷设备科技有限公司
Foshan Jinfugui Refrigeration Equipment Technology Co., Ltd.

地址: 广东省佛山市顺德区北滘镇桃村十八丘工业区 9 号
Add: No.9 Shibaqui Industrial Zone, Taocun, Beijiao Town,
Shunde District, Foshan City, Guangdong, China
电话 (Tel): 13702605227 谭生 (微信同步)

XIZHIYANG 喜之洋 金富贵冷柜工厂
XIZHIYANG PROFESSIONAL REFRIGERATOR JIN FUGUI REFRIGERATOR FACTORY

REFRIGERATION KITCHENWARE MANUFACTURING

SOLUTION SERVICE
PROVIDER

制冷厨具制造解决方案服务商



佛山市喜之洋制冷厨具设备有限公司
Foshan Xizhiyang Kitchen Refrigeration Equipment Co., Ltd.
佛山市金富贵制冷设备科技有限公司
Foshan Jinfugui Refrigeration Equipment Technology Co., Ltd.



微信二维码



手机画册



COMPANY INTRODUCTION 公司简介

喜之洋·制冷厨具设备专家
XIZHIYANG • Refrigeration kitchenware equipment expert

8+ 年 行业经验
Industry experience

100+ 个 产品品种
Product variety

15000+ m² 生产厂房
Production building

佛山市喜之洋制冷厨具设备有限公司是位于有世界工厂之称顺德区北滘镇，成立于 2015 年 10 月，厂房占地面积 15000 平方，是一家专业研发、制造制冷设备的企业。

我们自始至终坚持高品质的产品路线，为世界餐饮行业提供专业的制冷技术解决方案。目前旗下产品有：不锈钢工作台及立式冰箱系列、立式冰箱系列、比萨沙律冷藏工作台系列、插盘式冷冻面团柜系列、冷冻冷藏醒发柜系列、急速冷冻柜系列、台上式及落地式蛋糕展示柜系列、台上式及落地式冰淇淋展示柜系列，敞开式三文治饮品冷藏展示柜系列产品。除此之外，我们非常乐意为您提供各种类型的非标准订制服务。企业秉承“专业，品质，服务”三大宗旨，以先进的生产设备，科学的管理理念，完美的团队和一流的服务，立志成为世界顶尖的商用制冷设备供应商。

喜之洋公司已在全国开设 100 多个经销网点，能为广大客户提供最快的服务。

喜之洋公司期望与你携手并进，共创美好明天。

Foshan Xizhiyang Refrigeration Kitchenware Equipment Co., Ltd. is located in Beijiao Town, Shunde District, known as the world factory, was founded in October 2015, the plant covers an area of 15,000 square meters, is a professional R & D, manufacturing refrigeration equipment enterprises.

We always adhere to the high quality product line, to provide professional refrigeration technology solutions for the world's catering industry. At present, its products are: stainless steel workbench and vertical refrigerator series, vertical refrigerator series, pizza salad refrigerated workbench series, pan frozen dough cabinet series, frozen refrigerated refrigerator series, rapid freezer series, platform and floor type cake display series, platform and floor type ice cream display series, open sandwich beverage refrigerated display series products. In addition, we are more than happy to provide you with various types of non-standard customized services. Enterprises adhering to the "professional, quality, service" three purposes, with advanced production equipment, scientific management concept, perfect team and first-class service, determined to become the world's top commercial refrigeration equipment suppliers.

The company has opened more than 100 distribution outlets in the country, can provide customers with the fastest service.

We look forward to working hand in hand with you to create a better tomorrow.

QUALIFICATION

CERTIFICATE 资质证书

多年来，我们在细节上精益求精，在质量上严格把控。
把机械的精度与深度培养为我们的品牌气质，获得了业内的诸多肯定。
勋章是最好的名片，我们的荣耀由我们协力打造。

For many years, we strive for perfection in details and strictly control quality.
The precision and depth of the machine training for our brand temperament, the industry has been a lot of affirmation.
Medals are the best business cards, and our glory is created by our joint efforts.



无缝平压技术
Seamless flat pressing technology

循环风冷
Circulating air cooling

品牌压缩机
Brand compressor

隐藏式空间
Hidden space

正面除雾
Front defogging

全铜管制冷
All copper cooling

自动加湿系统
Automatic humidification system

双层钢化玻璃
Double toughened glass

8

CORE ADVANTAGES

八大核心优势

CONTENTS

目录



05	冰淇淋柜系列 Ice cream cabinet series	29	红酒柜系列 Red wine cabinet series
09	蛋糕柜系列 Cake cabinet series	30	展示柜系列 Display cabinet series
19	冰糖葫芦 / 酸奶柜系列 Candied haws/yoghourt cabinet series	33	商超系列 Commercial supermarket cabinet series
20	三文鱼柜系列 Salmon cabinet series	36	速冻柜系列 Freezer series
21	面包展示柜系列 Bread display cabinet series	36	醒发箱系列 Bread fermentation box series
22	冷柜系列 Refrigerator series	37	储冰柜系列 Freezer series
26	智能风干凉胚柜系列 Drying cabinet series	38	冷库系列 Cold storage series
27	牛肉柜系列 Beef cabinet series		



-16℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
F-QT640	圆形冰淇淋展示柜 Circular ice cream freezer	950x680x790	4 325x176x100	110V 60HZ 220V 50HZ	R404A/R290A
F-QT660	圆形冰淇淋展示柜 Circular ice cream freezer	1310x680x790	6 325x176x100	110V 60HZ 220V 50HZ	R404A/R290A
F-QT680	圆形冰淇淋展示柜 Circular ice cream freezer	1660x680x790	8 325x176x100	110V 60HZ 220V 50HZ	R404A/R290A

-16℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
F-QR530V	四方型冰淇淋展示柜 Mini square ice cream freezer	900x535x880	4 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
F-QR540V	四方型冰淇淋展示柜 Mini square ice cream freezer	1200x535x880	6 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
F-QR550V	四方型冰淇淋展示柜 Mini square ice cream freezer	1500x535x880	8 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A



-16℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
F-QR530A	小鹅蛋冰淇淋展示柜 Mini oval ice cream freezer	900x535x880	4 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
F-QR540A	小鹅蛋冰淇淋展示柜 Mini oval ice cream freezer	1200x535x880	6 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
F-QR550A	小鹅蛋冰淇淋展示柜 Mini oval ice cream freezer	1500x535x880	8 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A

-16℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	盘数 (mm) Cans	电压 Voltage	制冷剂 Refrigerant
QS530A	桌上型扁桶冰淇淋柜 Table top ice cream freezer	1230x643x917	6 325x175x100	110V 60HZ 220V 50HZ	R404A/R290A
QS540A	桌上型扁桶冰淇淋柜 Table top ice cream freezer	1600x643x917	8 325x175x100	110V 60HZ 220V 50HZ	R404A/R290A
QS550A	桌上型扁桶冰淇淋柜 Table top ice cream freezer	1800x643x917	9 325x175x100	110V 60HZ 220V 50HZ	R404A/R290A



-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
QC6B	Q 型冰淇淋柜 Q shape ice cream freezer	1200x980x1445	12 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A
QC8B	Q 型冰淇淋柜 Q shape ice cream freezer	1500x980x1445	16 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A
QC10B	Q 型冰淇淋柜 Q shape ice cream freezer	1800x980x1445	20 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A

-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
QB12A	豪华款冰淇淋柜 Ice cream freezer	1200x1270x1330	12 365x165x118	110V 60HZ 220V 50HZ	R404A/R290A
QB16A	豪华款冰淇淋柜 Ice cream freezer	1530x1270x1330	16 365x165x118	110V 60HZ 220V 50HZ	R404A/R290A
QB20A	豪华款冰淇淋柜 Ice cream freezer	1860x1270x1330	20 365x165x118	110V 60HZ 220V 50HZ	R404A/R290A



-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
QA12A	常规款冰淇淋柜 Ice cream freezer	1200x1130x1350	12 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A
QA16A	常规款冰淇淋柜 Ice cream freezer	1530x1130x1350	16 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A
QA20A	常规款冰淇淋柜 Ice cream freezer	1860x1130x1350	20 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A

-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
THX12A	弧形冷冻冰淇淋 Curved frozen ice cream	1250x1150x1300	12 325x175x110	110V 60HZ 220V 50HZ	R404A/R290A
THX16A	弧形冷冻冰淇淋 Curved frozen ice cream	1600x1150x1300	16 325x175x110	110V 60HZ 220V 50HZ	R404A/R290A
THX20A	弧形冷冻冰淇淋 Curved frozen ice cream	1950x1150x1300	20 325x175x110	110V 60HZ 220V 50HZ	R404A/R290A





-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
TXJ12Q	斜角冰淇淋 Angled ice cream	1200x800x1300	6	110V 60HZ 220V 50HZ	R404A/R290A
TXJ16Q	斜角冰淇淋 Angled ice cream	1500x800x1301	8	110V 60HZ 220V 50HZ	R404A/R290A
TXJ18Q	斜角冰淇淋 Angled ice cream	1800x800x1302	10	110V 60HZ 220V 50HZ	R404A/R290A

-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
TQR12A	日式 45 度冰淇淋 Japanese 45 degree ice cream	1200x800x1250	12 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
TQR15A	日式 45 度冰淇淋 Japanese 45 degree ice cream	1500x800x1250	16 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
TQR18A	日式 45 度冰淇淋 Japanese 45 degree ice cream	1800x800x1250	20 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A



-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
THR12	豪华日式 45 度冰淇淋 Deluxe Japanese 45 degree ice cream	1250x970x1300	12 325x175x110	110V 60HZ 220V 50HZ	R404A/R290A
THR16	豪华日式 45 度冰淇淋 Deluxe Japanese 45 degree ice cream	1600x970x1300	16 325x175x110	110V 60HZ 220V 50HZ	R404A/R290A
THR18	豪华日式 45 度冰淇淋 Deluxe Japanese 45 degree ice cream	1950x970x1300	20 325x175x110	110V 60HZ 220V 50HZ	R404A/R290A

-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 (mm) Cans/Size	电压 Voltage	制冷剂 Refrigerant
TRB12Q	大扁桶冰淇淋 Big flat tub of ice cream	1200x950x1300	12 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
TRB15Q	大扁桶冰淇淋 Big flat tub of ice cream	1500x950x1300	16 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A
TRB18Q	大扁桶冰淇淋 Big flat tub of ice cream	1820x950x1300	20 265x162x100	110V 60HZ 220V 50HZ	R404A/R290A



-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 Number of cylinders	电压 Voltage	制冷剂 Refrigerant
TGH12A	弧形前开门低温柜 Low temperature cabinet with curved front door	1200x750x1360	12 360x165x118	110V 60HZ 220V 50HZ	R404A/R290A
TGH15A	弧形前开门低温柜 Low temperature cabinet with curved front door	1520x750x1360	16 360x165x118	110V 60HZ 220V 50HZ	R404A/R290A
TGH18A	弧形前开门低温柜 Low temperature cabinet with curved front door	1850x750x1360	20 360x165x118	110V 60HZ 220V 50HZ	R404A/R290A

-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 Number of cylinders	电压 Voltage	制冷剂 Refrigerant
TXKQ122A	新款弧形冰淇淋柜 New curved ice cream cabinet	1220x1130x1350	12 360x165x118	110V 60HZ 220V 50HZ	R404A/R290A
TXKQ153A	新款弧形冰淇淋柜 New curved ice cream cabinet	1530x1130x1350	16 360x165x118	110V 60HZ 220V 50HZ	R404A/R290A
TXKQ185A	新款弧形冰淇淋柜 New curved ice cream cabinet	1850x1130x1350	20 360x165x118	110V 60HZ 220V 50HZ	R404A/R290A



-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 Number of cylinders	桶 Barrel	制冷剂 Refrigerant
TFQA-12	大四方落地式冰淇淋 Big square floor ice cream	1200x750x1300	6 360x165x118	3 个 Φ250	R404A/R290A
TFQA-15	大四方落地式冰淇淋 Big square floor ice cream	1500x750x1300	8 360x165x118	5 个 Φ250	R404A/R290A
TFQA-18	大四方落地式冰淇淋 Big square floor ice cream	1850x750x1300	10 360x165x118	6 个 Φ250	R404A/R290A

-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 Number of cylinders	电压 Voltage	制冷剂 Refrigerant
HXLD-09	弧形低温柜 Curved cryogenic cabinet	900x800x1300	8 265x165x100	220V 50HZ	R404A/R290A
HXLD-012	弧形低温柜 Curved cryogenic cabinet	1200x800x1300	12 265x165x100	220V 50HZ	R404A/R290A
HXLD-015	弧形低温柜 Curved cryogenic cabinet	1500x800x1300	16 265x165x100	220V 50HZ	R404A/R290A
HXLD-018	弧形低温柜 Curved cryogenic cabinet	1800x800x1300	20 265x165x100	220V 50HZ	R404A/R290A
HXLD-020	弧形低温柜 Curved cryogenic cabinet	2000x800x1300	22 265x165x100	220V 50HZ	R404A/R290A





3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
GR530A	G 型蛋糕展示柜 G shape cake showcase	900x545x910	1	110V 60HZ 220V 50HZ	R134A/R290A
GR540A	G 型蛋糕展示柜 G shape cake showcase	1200x545x910	1	110V 60HZ 220V 50HZ	R134A/R290A
GR550A	G 型蛋糕展示柜 G shape cake showcase	1500x545x910	1	110V 60HZ 220V 50HZ	R134A/R290A

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
QR530A	小鹅蛋糕展示柜 Mini oval cake showcase	900x535x880	1	110V 60HZ 220V 50HZ	R134A/R290A
QR540A	小鹅蛋糕展示柜 Mini oval cake showcase	1200x535x880	1	110V 60HZ 220V 50HZ	R134A/R290A
QR550A	小鹅蛋糕展示柜 Mini oval cake showcase	1500x535x880	1	110V 60HZ 220V 50HZ	R134A/R290A



3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
QR530V	四方型蛋糕展示柜 Mini square cake showcase	900x535x880	1	110V 60HZ 220V 50HZ	R134A/R290A
QR540V	四方型蛋糕展示柜 Mini square cake showcase	1200x535x880	1	110V 60HZ 220V 50HZ	R134A/R290A
QR550V	四方型蛋糕展示柜 Mini square cake showcase	1500x535x880	1	110V 60HZ 220V 50HZ	R134A/R290A

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TRZ-09T	日式直角蛋糕展示柜 (桌上型) Japanese Right Angle cake display cabinet (tabletop)	900x550x880	3	R134A/R290A
TRZ-12T	日式直角蛋糕展示柜 (桌上型) Japanese Right Angle cake display cabinet (tabletop)	1200x550x880	3	R134A/R290A
TRZ-15T	日式直角蛋糕展示柜 (桌上型) Japanese Right Angle cake display cabinet (tabletop)	1500x550x880	3	R134A/R290A
TRZ-18T	日式直角蛋糕展示柜 (桌上型) Japanese Right Angle cake display cabinet (tabletop)	1800x550x880	3	R134A/R290A

★斜底不锈钢, 风冷无霜 Inclined bottom stainless steel, air cooled without frost



3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TRQ-12T	日式 45 度全顶玻璃蛋糕展示柜 Japanese 45 degrees full top glass cake display cabinet	1200x710x1210	3	R134A/R290A
TRQ-15T	日式 45 度全顶玻璃蛋糕展示柜 Japanese 45 degrees full top glass cake display cabinet	1500x710x1210	3	R134A/R290A
TRQ-18T	日式 45 度全顶玻璃蛋糕展示柜 Japanese 45 degrees full top glass cake display cabinet	1800x710x1210	3	R134A/R290A

★全顶玻璃, 发热镀膜, 风冷无霜 Full top glass, heat coating, air cooling without frost

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	功率 (W) Power	制冷剂 Refrigerant
KT550V	日式 3 层带 T 形 Japanese 3 layers with T shape	1200x730x1210	3	110V 60HZ 220V 50HZ	450W	R134A/R290A
KT650V	日式 3 层带 T 形 Japanese 3 layers with T shape	1500x730x1210	3	110V 60HZ 220V 50HZ	550W	R134A/R290A
KT750V	日式 3 层带 T 形 Japanese 3 layers with T shape	1800x730x1210	3	110V 60HZ 220V 50HZ	650W	R134A/R290A



3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
LB630V	日式二层蛋糕展示柜 (45°) Straight glass cake showcaase	900x685x1070	1	110V 60HZ 220V 50HZ	R134A/R290A
LB640V	日式二层蛋糕展示柜 (45°) Straight glass cake showcaase	1200x685x1070	1	110V 60HZ 220V 50HZ	R134A/R290A
LB650V	日式二层蛋糕展示柜 (45°) Straight glass cake showcaase	1500x685x1070	1	110V 60HZ 220V 50HZ	R134A/R290A
LB660V	日式二层蛋糕展示柜 (45°) Straight glass cake showcaase	1800x685x1070	1	110V 60HZ 220V 50HZ	R134A/R290A
LB680V	日式二层蛋糕展示柜 (45°) Straight glass cake showcaase	2400x685x1070	1	110V 60HZ 220V 50HZ	R134A/R290A

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
MB730V	日式三层蛋糕展示柜 (45°) Straight glass cake showcaase	900x685x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
MB740V	日式三层蛋糕展示柜 (45°) Straight glass cake showcaase	1200x685x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
MB750V	日式三层蛋糕展示柜 (45°) Straight glass cake showcaase	1500x685x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
MB760V	日式三层蛋糕展示柜 (45°) Straight glass cake showcaase	1800x685x1210	2	110V 60HZ 220V 50HZ	R134A/R290A





3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
MV830	日式三层蛋糕展示柜 (整体玻璃) Straight glass cake showcaase	900x700x1210	3	110V 60HZ 220V 50HZ	R134A/R290A
MV850	日式三层蛋糕展示柜 (整体玻璃) Straight glass cake showcaase	1200x700x1210	3	110V 60HZ 220V 50HZ	R134A/R290A
MV860	日式三层蛋糕展示柜 (整体玻璃) Straight glass cake showcaase	1500x700x1210	3	110V 60HZ 220V 50HZ	R134A/R290A
MV880	日式三层蛋糕展示柜 (整体玻璃) Straight glass cake showcaase	1800x700x1210	3	110V 60HZ 220V 50HZ	R134A/R290A

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TRQ-12F	日式 45 度全顶玻璃蛋糕展示柜 Japanese 45 degrees full top glass cake display cabinet	1200x730x1500	4	R134A/R290A
TRQ-15F	日式 45 度全顶玻璃蛋糕展示柜 Japanese 45 degrees full top glass cake display cabinet	1500x730x1500	4	R134A/R290A
TRQ-18F	日式 45 度全顶玻璃蛋糕展示柜 Japanese 45 degrees full top glass cake display cabinet	1800x730x1500	4	R134A/R290A

★ 风冷无霜 Air cooling without frost



3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
AC728V	日式直角四层蛋糕展示柜 Straight glass cake showcaase	900x700x1400	4	110V 60HZ 220V 50HZ	R134A/R290A
AC738V	日式直角四层蛋糕展示柜 Straight glass cake showcaase	1200x700x1400	4	110V 60HZ 220V 50HZ	R134A/R290A
AC748V	日式直角四层蛋糕展示柜 Straight glass cake showcaase	1500x700x1400	4	110V 60HZ 220V 50HZ	R134A/R290A
AC758V	日式直角四层蛋糕展示柜 Straight glass cake showcaase	1800x700x1400	4	110V 60HZ 220V 50HZ	R134A/R290A

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TRJ-12T	日式 45 度三层金边蛋糕柜 Japanese 45 degrees three layer Phnom Penh cake cabinet	1200x760x1270	3	R134A/R290A
TRJ-15T	日式 45 度三层金边蛋糕柜 Japanese 45 degrees three layer Phnom Penh cake cabinet	1500x760x1270	3	R134A/R290A
TRJ-18T	日式 45 度三层金边蛋糕柜 Japanese 45 degrees three layer Phnom Penh cake cabinet	1800x760x1270	3	R134A/R290A

★ 断冷铝材门，风冷无霜 Cut cold aluminum door, air cooling without frost



品质
QUALITY

诚信
INTEGRITY

专注
ABSORBED



3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TSS-12S	双弧双层蛋糕柜 Double arc double layer cake cabinet	1200x820x1400	2	R134A/R290A
TSS-15S	双弧双层蛋糕柜 Double arc double layer cake cabinet	1500x820x1400	2	R134A/R290A
TSS-18S	双弧双层蛋糕柜 Double arc double layer cake cabinet	1800x820x1400	2	R134A/R290A

★ 发热丝中空玻璃，风冷无霜 Heating wire insulating glass, air cooling without frost

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
M740A	单弧蛋糕展示柜 Curved glass cake showcase	900x740x1210	3	110V 60HZ 220V 50HZ	R134A/R290A
M750A	单弧蛋糕展示柜 Curved glass cake showcase	1200x740x1210	3	110V 60HZ 220V 50HZ	R134A/R290A
M760A	单弧蛋糕展示柜 Curved glass cake showcase	1500x740x1210	3	110V 60HZ 220V 50HZ	R134A/R290A




3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
G640A	单弧四层蛋糕展示柜 Curve glass cake showcase	1200x685x1370	4	110V 60HZ 220V 50HZ	R134A/R290A
G650A	单弧四层蛋糕展示柜 Curve glass cake showcase	1500x685x1370	4	110V 60HZ 220V 50HZ	R134A/R290A
G660A	单弧四层蛋糕展示柜 Curve glass cake showcase	1800x685x1370	4	110V 60HZ 220V 50HZ	R134A/R290A

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
LA840A	大双弧蛋糕展示柜 Curve glass cake showcase	1200x850x1100	2	110V 60HZ 220V 50HZ	R134A/R290A
LA850A	大双弧蛋糕展示柜 Curve glass cake showcase	1500x850x1100	2	110V 60HZ 220V 50HZ	R134A/R290A
LA860A	大双弧蛋糕展示柜 Curve glass cake showcase	1800x850x1100	2	110V 60HZ 220V 50HZ	R134A/R290A





3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
KT740AF	小欧式前开门蛋糕展示柜 Euro-style cake showcase	1200x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
KT750AF	小欧式前开门蛋糕展示柜 Euro-style cake showcase	1500x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
KT760AF	小欧式前开门蛋糕展示柜 Euro-style cake showcase	1800x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
KT780AF	小欧式前开门蛋糕展示柜 Euro-style cake showcase	2400x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A

3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
MA740AF	单弧前开门蛋糕展示柜 Curved glass cake showcase	1200x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
MA750AF	单弧前开门蛋糕展示柜 Curved glass cake showcase	1500x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
MA760AF	单弧前开门蛋糕展示柜 Curved glass cake showcase	1800x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
MA780AF	单弧前开门蛋糕展示柜 Curved glass cake showcase	2400x750x1300	2	110V 60HZ 220V 50HZ	R134A/R290A



3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
KT-940	新款欧式前开门蛋糕展示柜 Open type cake showcase	1200x850x1610	3	110V 60HZ 220V 50HZ	R134A/R290A
KT-950	新款欧式前开门蛋糕展示柜 Open type cake showcase	1500x850x1610	3	110V 60HZ 220V 50HZ	R134A/R290A
KT-960	新款欧式前开门蛋糕展示柜 Open type cake showcase	1800x850x1610	3	110V 60HZ 220V 50HZ	R134A/R290A
KT-980	新款欧式前开门蛋糕展示柜 Open type cake showcase	2400x850x1610	3	110V 60HZ 220V 50HZ	R134A/R290A

3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
G940AF	欧式前开门蛋糕展示柜 Euro-style cake showcase	1200x930x1610	3	110V 60HZ 220V 50HZ	R134A/R290A
G950AF	欧式前开门蛋糕展示柜 Euro-style cake showcase	1500x930x1610	3	110V 60HZ 220V 50HZ	R134A/R290A
G960AF	欧式前开门蛋糕展示柜 Euro-style cake showcase	1800x930x1610	3	110V 60HZ 220V 50HZ	R134A/R290A
G980AF	欧式前开门蛋糕展示柜 Euro-style cake showcase	1800x930x1610	3	110V 60HZ 220V 50HZ	R134A/R290A



3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TSH-12F	双弧蛋糕柜 Double arc cake cabinet	1200x700x1380	4	R134A/R290A
TSH-15F	双弧蛋糕柜 Double arc cake cabinet	1500x700x1380	4	R134A/R290A
TSH-18F	双弧蛋糕柜 Double arc cake cabinet	1800x700x1380	4	R134A/R290A

★ 正面发热丝中空玻璃，风冷无霜 Front heating wire insulating glass, air cooling without frost

3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
THX-09S	弧形蛋糕展示柜 (桌上型) Curved cake display cabinet (tabletop)	900x540x840	2	R134A/R290A
THX-12S	弧形蛋糕展示柜 (桌上型) Curved cake display cabinet (tabletop)	1200x540x840	2	R134A/R290A
THX-15S	弧形蛋糕展示柜 (桌上型) Curved cake display cabinet (tabletop)	1500x540x840	2	R134A/R290A

★ 发热丝中空玻璃，风冷无霜 Heating wire insulating glass, air cooling without frost



3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TZD-12S	中岛柜 Middle island cabinet	1200x1200x1300	2	R134A/R290A
TZD-15S	中岛柜 Middle island cabinet	1500x1200x1300	2	R134A/R290A
TZD-18S	中岛柜 Middle island cabinet	1800x1200x1300	2	R134A/R290A

★ 风冷无霜 Air cooling without frost

3°C ~ 10°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
QA730A	大鹅蛋糕展示柜 Oval style cake showcase	900x800x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
QA740A	大鹅蛋糕展示柜 Oval style cake showcase	1200x800x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
QA750A	大鹅蛋糕展示柜 Oval style cake showcase	1500x800x1300	2	110V 60HZ 220V 50HZ	R134A/R290A
QA760A	大鹅蛋糕展示柜 Oval style cake showcase	1800x800x1300	2	110V 60HZ 220V 50HZ	R134A/R290A





3℃~10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
MQ630A	四方型蛋糕展示柜 (落地式) Square cake showcase	900x700x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
MQ640A	四方型蛋糕展示柜 (落地式) Square cake showcase	1200x700x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
MQ650A	四方型蛋糕展示柜 (落地式) Square cake showcase	1500x700x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
MQ660A	四方型蛋糕展示柜 (落地式) Square cake showcase	1800x700x1210	2	110V 60HZ 220V 50HZ	R134A/R290A

3℃~10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
K740-B	立式蛋糕展示柜 Vertical cake showcase	1200x740x1820	4	110V 60HZ 220V 50HZ	R134A/R290A
K750-B	立式蛋糕展示柜 Vertical cake showcase	1500x740x1820	4	110V 60HZ 220V 50HZ	R134A/R290A
K760-B	立式蛋糕展示柜 Vertical cake showcase	1800x740x1820	4	110V 60HZ 220V 50HZ	R134A/R290A



3℃~10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
ML650A	转角蛋糕展示柜 Corner cake showcase	1500+1500x675x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
ML660A	转角蛋糕展示柜 Corner cake showcase	1800+1800x675x1210	2	110V 60HZ 220V 50HZ	R134A/R290A
ML680A	转角蛋糕展示柜 Corner cake showcase	2400+2400x675x1210	2	110V 60HZ 220V 50HZ	R134A/R290A

3℃~10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TWS-12T	卧式风幕柜 Horizontal air curtain cabinet	1200x850x1380	3	R134A/R290A
TWS-15T	卧式风幕柜 Horizontal air curtain cabinet	1500x850x1380	3	R134A/R290A

★ 暗藏夜帘，风冷无霜 Hidden night curtain, air cold no frost



3℃~10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TTM-15F	三明治柜 (左右趟门) Sandwich cabinet (left and right door)	1500x1000x950	1	R134A/R290A
TTM-18F	三明治柜 (左右趟门) Sandwich cabinet (left and right door)	1800x1000x950	1	R134A/R290A

★ 四面环石，磁吸后网，风冷无霜 Four-sided ring stone, magnetic net, air-cooled frost-free

5℃~10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
WD940V	三明治柜 Sandwich cabinet	1200x900x900	1	R134A/R290A
WD950V	三明治柜 Sandwich cabinet	1500x900x900	1	R134A/R290A
WD960V	三明治柜 Sandwich cabinet	1800x900x900	1	R134A/R290A

★ 风冷无霜 Air cooling without frost



5℃~10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
THG-12F	三明治柜 (吊级) Sandwich cabinet (hanging)	1200x900x950	1	R134A/R290A
THG-15F	三明治柜 (吊级) Sandwich cabinet (hanging)	1500x900x950	1	R134A/R290A
THG-18F	三明治柜 (吊级) Sandwich cabinet (hanging)	1800x900x950	1	R134A/R290A
THG-20F	三明治柜 (吊级) Sandwich cabinet (hanging)	2000x900x950	1	R134A/R290A

★ 风冷无霜 Air cooling without frost

5℃~10℃/0℃~-10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TKF-12Z	开放式双温柜 Open double temperature cabinet	1200x950x1050	/	R134A/R290A
TKF-15Z	开放式双温柜 Open double temperature cabinet	1500x950x1050	/	R134A/R290A
TKF-18Z	开放式双温柜 Open double temperature cabinet	1800x950x1050	/	R134A/R290A

★ 超白钢化玻璃，双制冷系统，电子触屏温控，风冷无霜 Super white tempered glass, double refrigeration system, electronic touch screen temperature control, air cooling without frost





3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TCT-15F	抽屉柜 Chest of drawers	1500x800x1100	1	R134A/R290A
TCT-18F	抽屉柜 Chest of drawers	1800x800x1100	1	R134A/R290A
TCT-20F	抽屉柜 Chest of drawers	2100x800x1100	1	R134A/R290A

★ 增加储物层, 风冷无霜 Increased storage layer, air cooling without frost

3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TRD-12S	日式单层蛋糕柜 (带储物层) Japanese single layer cake cabinet (with storage)	1200x800x1100	2	R134A/R290A
TRD-15S	日式单层蛋糕柜 (带储物层) Japanese single layer cake cabinet (with storage)	1500x800x1100	2	R134A/R290A
TRD-18S	日式单层蛋糕柜 (带储物层) Japanese single layer cake cabinet (with storage)	1800x800x1100	2	R134A/R290A

★ 增加储物层, 风冷无霜 Increased storage layer, air cooling without frost



3℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TYX-15F	圆形蛋糕展示柜 Round cake display case	1500x750x1600	4	R134A/R290A
TYX-20F	圆形蛋糕展示柜 Round cake display case	2000x750x1600	4	R134A/R290A

★ 风冷无霜 Air cooling without frost

5℃ ~ 10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
HG-12A	立式风幕柜 Upright chiller	1200x750x1800	3	110V 60HZ 220V 50HZ	R134A/R290A
HG-15A	立式风幕柜 Upright chiller	1500x750x1800	3	220V 50HZ	R134A/R290A
HG-18A	立式风幕柜 Upright chiller	1800x750x1800	3	220V 50HZ	R134A/R290A



2℃ ~ 8℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
K740V	1.2 日式四层前开门蛋糕展示柜 1.2 Japanese four-storey front door cake display cabinet	1200x740x1500	4	110V 60HZ 220V 50HZ	R134A/R290A
K750V	1.5 日式四层前开门蛋糕展示柜 1.5 Japanese four-storey front door cake display cabinet	1500x740x1500	4	110V 60HZ 220V 50HZ	R134A/R290A
K760V	1.8 日式四层前开门蛋糕展示柜 1.8 Japanese four-storey front door cake display cabinet	1800x740x1500	4	110V 60HZ 220V 50HZ	R134A/R290A
K780V	2.4 日式四层前开门蛋糕展示柜 2.4 Japanese four-storey front door cake display cabinet	2400x740x1500	4	110V 60HZ 220V 50HZ	R134A/R290A

2℃ ~ 8℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
K740V-B	1.2 立柜蛋糕展示柜 1.2 Upright cake showcase	1200x740x1820	4	110V 60HZ 220V 50HZ	R134A/R290A
K750V-B	1.5 立柜蛋糕展示柜 1.5 Upright cake showcase	1500x740x1820	4	110V 60HZ 220V 50HZ	R134A/R290A
K760V-B	1.8 立柜蛋糕展示柜 1.8 Upright cake showcase	1800x740x1820	4	110V 60HZ 220V 50HZ	R134A/R290A



2℃ ~ 8℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
AC 728V	日式直角四层蛋糕展示柜 Japanese right Angle four layer cake display cabinet	1200x690x1500	4	110V 60HZ 220V 50HZ	R134A/R290A
AC 768V	日式直角四层蛋糕展示柜 Japanese right Angle four layer cake display cabinet	1500x690x1500	4	110V 60HZ 220V 50HZ	R134A/R290A
AC 798V	日式直角四层蛋糕展示柜 Japanese right Angle four layer cake display cabinet	1800x690x1500	4	110V 60HZ 220V 50HZ	R134A/R290A
AC 820V	日式直角四层蛋糕展示柜 Japanese right Angle four layer cake display cabinet	4000x690x1500	4	110V 60HZ 220V 50HZ	R134A/R290A

2℃ ~ 8℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	电压 Voltage	制冷剂 Refrigerant
TCK12	常规风幕柜 Conventional air curtain cabinet	1200x700x1850	4	110V 60HZ 220V 50HZ	R134A/R290A
TCK15	常规风幕柜 Conventional air curtain cabinet	1500x700x1850	4	110V 60HZ 220V 50HZ	R134A/R290A





0℃ ~ -10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
THL-009A	四方冰糖葫芦柜 Square ice pond gourd cabinet	900x700x1210	2	R404A/R290A
THL-012A	四方冰糖葫芦柜 Square ice pond gourd cabinet	1200x700x1210	2	R404A/R290A
THL-015A	四方冰糖葫芦柜 Square ice pond gourd cabinet	1500x700x1210	2	R404A/R290A

0℃ ~ -10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TR45-12B	日式 45 度冰糖葫芦柜 Japanese 45 degree ice pond gourd cabinet	1200x830x1200	1	R404A/R290A
TR45-15B	日式 45 度冰糖葫芦柜 Japanese 45 degree ice pond gourd cabinet	1500x830x1200	1	R404A/R290A
TR45-18B	日式 45 度冰糖葫芦柜 Japanese 45 degree ice pond gourd cabinet	1800x830x1200	1	R404A/R290A



-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 Number of cylinders	电压 Voltage	制冷剂 Refrigerant
TQH12A	豪华弧形前开门低温柜 Luxury curved front door freezer	1200x700/800x1300	/	110V 60HZ 220V 50HZ	R404A/R290A
TQH15A	豪华弧形前开门低温柜 Luxury curved front door freezer	1500x700/800x1300	/	110V 60HZ 220V 50HZ	R404A/R290A
TQH18A	豪华弧形前开门低温柜 Luxury curved front door freezer	1800x700/800x1300	/	110V 60HZ 220V 50HZ	R404A/R290A



-18℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	缸数 Number of cylinders	电压 Voltage	制冷剂 Refrigerant
ARC 12	弧形冷冻柜酸奶柜 Curved freezer Yogurt cabinet	1200x800x1250	12 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A
ARC 15	弧形冷冻柜酸奶柜 Curved freezer Yogurt cabinet	1500x800x1250	16 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A
ARC 18	弧形冷冻柜酸奶柜 Curved freezer Yogurt cabinet	1800x800x1250	20 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A
ARC 20	弧形冷冻柜酸奶柜 Curved freezer Yogurt cabinet	2000x800x1250	24 265x165x100	110V 60HZ 220V 50HZ	R404A/R290A



0℃ ~ -10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
THS15Q	豪华三文鱼柜 Deluxe salmon cabinet	1500x950x1100	1	R134A/R404A/R290A
THS18Q	豪华三文鱼柜 Deluxe salmon cabinet	1800x950x1100	1	R134A/R404A/R290A
THS20Q	豪华三文鱼柜 Deluxe salmon cabinet	2000x950x1100	1	R134A/R404A/R290A



0℃ ~ -10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TDF-012	大双弧三文鱼柜 Large double arc salmon cabinet	1200x850x1100	1	R134A/R404A/R290A
TDF-012	大双弧三文鱼柜 Large double arc salmon cabinet	1500x850x1100	1	R134A/R404A/R290A
TDF-012	大双弧三文鱼柜 Large double arc salmon cabinet	1800x850x1100	1	R134A/R404A/R290A

0℃ ~ -10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	制冷剂 Refrigerant
TDSF-009	大四方三文鱼柜 Big square salmon cabinet	900x700x1200	2	R134A/R404A/R290A
TDSF-012	大四方三文鱼柜 Big square salmon cabinet	1200x700x1200	2	R134A/R404A/R290A
TDSF-015	大四方三文鱼柜 Big square salmon cabinet	1500x700x1200	2	R134A/R404A/R290A





常温

型号 Model	名称 Name	尺寸 (mm) Size LxWxH
DZ.003 边岛柜	多款多色豪华型弧形组合柜 Multi-color luxury curved combined cabinet	1200x600x1300
DZ.004 边岛柜		1500x600x1300
DZ.005 边岛柜		1800x600x1300
DZ.006 中岛柜		1200x1000x1300
DZ.007 中岛柜		1500x1000x1300
DZ.008 中岛柜		1800x1000x1300

★ 可按客户尺寸定制 Can be customized according to customer size



0℃ ~ +10℃ / -16℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	制冷方式 Cooling Type	温度 (°C) Temp.Range	容积 (L) Volume	功率 (W) Power	电压 (V/Hz) Voltage
G0.5Z-2M	单门低温高身雪柜 Upright freezer	620x760x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	500	210	220V 50HZ 110V 60HZ
G1.0Z-4M	双门低温高身雪柜 Upright freezer	1220x760x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	1000	280	220V 50HZ 110V 60HZ
G1.6F-6M	六门低温高身柜 Upright freezer	1810x760x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	1600	610	220V 50HZ 110V 60HZ



0℃ ~ +10℃ / -16℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	制冷方式 Cooling Type	温度 (°C) Temp.Range	容积 (L) Volume	功率 (W) Power	电压 (V/Hz) Voltage
Z0.5Z-2M	单门低温高身插盘柜 Upright freezer	620x760x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	500	250	220V 50HZ 110V 60HZ
Z1.0Z-4M	双门低温高身插盘柜 Upright freezer	1220x760x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	1000	420	220V 50HZ 110V 60HZ
D1.6Z-6M	三门低温高身插盘柜 Upright freezer	1810x760x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	1600	860	220V 50HZ 110V 60HZ



0°C ~ -18°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	温度 (°C) Temp.Range	电压 (V/Hz) Voltage
GZT009.002	0.9 米单门风冷低温平台雪柜 0.9m single-door air-cooled platform refrigerator	900x760x800/850	0~-18	220V 50HZ 110V 60HZ
GZT012.002	1.2 米双门风冷低温平台雪柜 1.2m double-door air-cooled platform refrigerator	1200x760x800/850	0~-18	220V 50HZ 110V 60HZ
GZT015.002	1.5 米双门风冷低温平台雪柜 1.5m double-door air-cooled platform refrigerator	1500x760x800/850	0~-18	220V 50HZ 110V 60HZ
GZT018.002	1.8 米三门风冷低温平台雪柜 1.8m three-door air-cooled platform refrigerator	1800x760x800/850	0~-18	220V 50HZ 110V 60HZ
GZT020.002	2.0 米双门风冷低温平台雪柜 2.0m double-door air-cooled platform refrigerator	2000x760x800/850	0~-18	220V 50HZ 110V 60HZ
GZT024.002	2.4 米三门风冷低温平台雪柜 2.4m three-door air-cooled platform refrigerator	2400x760x800/850	0~-18	220V 50HZ 110V 60HZ



0°C ~ +10°C / -16°C ~ -20°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	温度 (°C) Temp.Range	电压 (V/Hz) Voltage	容积 (L) Volume
GSG062.001	2 门风冷高低温高身雪柜 2 door air cooled high low temperature high body refrigerator	620x760x1980	0~+10 -16~-20	220V 50HZ 110V 60HZ	500
GSG121.001	4 门风冷高低温高身雪柜 4 door air cooled high low temperature high body refrigerator	1210x760x1980	0~+10 -16~-20	220V 50HZ 110V 60HZ	1000
GSG181.001	6 门风冷高低温高身雪柜 6 door air cooled high low temperature high body refrigerator	1810x760x1980	0~+10 -16~-20	220V 50HZ 110V 60HZ	1600



0°C ~ +10°C / -16°C ~ -20°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	温度 (°C) Temp.Range	电压 (V/Hz) Voltage
GST009.001	0.9 米单门风冷高低温披萨柜 0.9m single-door air-cooled high and low temperature pizza cabinet	900x760x800/850	0~+10 -16~-20	220V 50HZ 110V 60HZ
GST012.001	1.2 米双门风冷高低温披萨柜 1.2m two-door air-cooled high and low temperature pizza cabinet	1200x760x800/850	0~+10 -16~-20	220V 50HZ 110V 60HZ
GST015.001	1.5 米双门风冷高低温披萨柜 1.5m double-door air-cooled high and low temperature pizza cabinet	1500x760x800/850	0~+10 -16~-20	220V 50HZ 110V 60HZ
GST018.001	1.8 米三门风冷高低温披萨柜 1.8m three-door air-cooled high and low temperature pizza cabinet	1800x760x800/850	0~+10 -16~-20	220V 50HZ 110V 60HZ



0°C ~ +10°C / -16°C ~ -20°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	制冷方式 Cooling Type	温度 (°C) Temp.Range	盘数 Cans	功率 (W) Power	电压 (V/Hz) Voltage
GBP0.6F-2M	单 / 双门饼盘高身柜 Upright refidgerator	620x850x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	14 盘 14 disks	320	220V 50HZ 110V 60HZ
GBP1.2F-4M	双 / 四门饼盘高身柜 Upright refidgerator	1220x850x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	26 盘 26 disks	560	220V 50HZ 110V 60HZ
GBP1.8F-6M	三 / 六门饼盘高身柜 Upright refidgerator	1810x850x1980	直冷 / 风冷 Static cooling/Fan cooling	0~+10 -16~-20	39 盘 39 disks	320	220V 50HZ 110V 60HZ



+2℃ ~ +10℃ / -15℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	温度 (°C) Temp.Range	容积 (L) Volume	功率 (W) Power	电压 (V/Hz) Voltage
1500Z-4T	四抽屉工作台 Drawer refrigerator	1500x760x800	+2~+10 -15~-20	250	210	220V 50HZ 110V 60HZ
1500Z-6T	六抽屉工作台 Drawer refrigerator	1500x760x800	+2~+10 -15~-20	250	210	220V 50HZ 110V 60HZ
1900Z-9T	九抽屉工作台 Drawer refrigerator	1900x760x800	+2~+10 -15~-20	400	240	220V 50HZ 110V 60HZ
2300Z-12T	十二抽屉工作台 Drawer refrigerator	2300x760x800	+2~+10 -15~-20	450	320	220V 50HZ 110V 60HZ



2℃ ~ 8℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	温度 (°C) Temp.Range	容积 (L) Volume	功率 (W) Power	电压 (V/Hz) Voltage
HD1200	商用风冷披萨柜 Commercial air-cooled pizza cabinet	1200x800x850 / 1450	2~8	300	488	110V 60HZ 220V 50HZ
HD1500	商用风冷披萨柜 Commercial air-cooled pizza cabinet	1500x800x850 / 1450	2~8	350	560	110V 60HZ 220V 50HZ
HD1800	商用风冷披萨柜 Commercial air-cooled pizza cabinet	1800x800x850 / 1450	2~8	400	630	110V 60HZ 220V 50HZ



0℃ ~ -20℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	门数 Gate number	电压 (V/Hz) Voltage
FGYG-007	晾鸭柜 Duck curing cabinet	620x860x2180	单门 Simple gate	110V 60HZ 220V 50HZ
FGYG-012	晾鸭柜 Duck curing cabinet	1220x860x2180	两门 Two doors	110V 60HZ 220V 51HZ
FGYG-018	晾鸭柜 Duck curing cabinet	1820x860x2180	三门 Three doors	110V 60HZ 220V 52HZ




0℃ ~ 10℃ / 0℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	温度 (°C) Temp.Range	制冷方式 Cooling Type
TB006.001	牛肉熟成柜 Beef matured into cabinet	600x600x2200	5	0~10	冷藏 Refrigerate
TB006.002	牛肉熟成柜 Beef matured into cabinet	600x600x2200	5	0~-22	冷冻 Freezing
TB012.001	牛肉熟成柜 Beef matured into cabinet	1200x700x2200	5	0~10	冷藏 Refrigerate
TB012.002	牛肉熟成柜 Beef matured into cabinet	1200x700x2200	5	0~-22	冷冻 Freezing
TB018.001	牛肉熟成柜 Beef matured into cabinet	1800x700x2200	5	0~10	冷藏 Refrigerate
TB018.002	牛肉熟成柜 Beef matured into cabinet	1800x700x2200	5	0~-22	冷冻 Freezing



0℃ ~ 10℃ / 0℃ ~ -22℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	层数 Shelves	温度 (°C) Temp.Range	制冷方式 Cooling Type
TB006.001	牛肉熟成柜 Beef matured into cabinet	600x600x2200	5	0~10	冷藏 Refrigerate
TB006.002	牛肉熟成柜 Beef matured into cabinet	600x600x2200	5	0~-22	冷冻 Freezing
TB012.001	牛肉熟成柜 Beef matured into cabinet	1200x700x2200	5	0~10	冷藏 Refrigerate
TB012.002	牛肉熟成柜 Beef matured into cabinet	1200x700x2200	5	0~-22	冷冻 Freezing
TB018.001	牛肉熟成柜 Beef matured into cabinet	1800x700x2200	5	0~10	冷藏 Refrigerate
TB018.002	牛肉熟成柜 Beef matured into cabinet	1800x700x2200	5	0~-22	冷冻 Freezing



0°C ~ -20°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	门数 Gate number	电压 (V/Hz) Voltage
HJG-006	红酒柜 Wine cabinet	600x600x2200	单门 Simple gate	110V 60HZ 220V 50HZ
HJG-012	红酒柜 Wine cabinet	1200x600x2200	双门 Two-door	110V 60HZ 220V 50HZ
HJG-018	红酒柜 Wine cabinet	1800x600x2200	三门 Three doors	110V 60HZ 220V 50HZ



+1°C ~ +8°C

型号 Model	重量 Weight (kg)	温度 (°C) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	耗电量 Power (kW.h/24h)
XG-2500L4	290	+1~+8	730	2500x720x2130	7.9
XG-3110L5	430	+1~+8	900	3110x720x2130	8.8
XG-640L1	95	+1~+8	290	640x720x2130	3
XG-1260L2	170	+1~+8	400	1260x720x2130	4.3
XG-1860L3	240	+1~+8	520	1860x720x2130	6.1
XG-2090L3	280	+1~+8	580	2090x820x2130	6.3



2°C ~ 10°C

型号 Model	重量 Weight (kg)	温度 (°C) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	耗电量 Power (kW.h/24h)
XM-1000L2	150	2~10	360	1000x600x2000	6.9
XM-1100L2	150	2~10	480	1100x650x2100	7.5
XM-1630L3	200	2~10	500	1630x650x2100	8.8
XM-2180L4	250	2~10	720	2180x730x2100	13



0°C ~ -22°C

型号 Model	温度 (°C) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	电压 (V/HZ) Voltage
TH2	0~-22	450	1220x720x2100	110V 60HZ 220V 50HZ
TH2	0~-22	750	1830x720x2100	110V 60HZ 220V 50HZ



0°C ~ -22°C

型号 Model	温度 (°C) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	电压 (V/HZ) Voltage
AQT2	0~-22	550	1300x800x2100	110V 60HZ
AQT3	0~-22	700	1600x800x2100	110V 60HZ
AQT4	0~-22	850	1900x800x2100	110V 60HZ



+2°C ~ +8°C

型号 Model	有效容积 (L) Volume	温度 (°C) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	耗电量 Power (kW.h/24h)
XM-620L1	420	+2~+8	280	620x700x1975	4.0
XM-1120L2	800	+2~+8	430	1120x670x1975	6.2
XM-1680L3	1200	+2~+8	630	1680x670x1975	9.1
XM-2250L4	1600	+2~+8	820	2245x670x1975	11.8



+2℃ ~ +8℃ / -16℃ ~ -20℃

型号 Model	有效容积 (L) Volume	温度 (℃) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	规格 Specifications
XC-1250	1000	+2~+8/-16~-20	410	1250x730x2030	整体机 Unitary machine
XC-1880L3	1500	+2~+8/-16~-20	580	1880x730x2030	整体机 Unitary machine
LFM-25D	1150	+2~+8/-16~-20	1600	2430x960x2050	分体机 Split machine
LFM-25D	1150	+2~+8/-16~-20	2330	2430x960x2050	分体机 Split machine



0℃ ~ -10℃

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	颜色 Colour	有效容积 (L) Volume
THWA2	双门吧台柜 Double door counter	900x536x840	不锈钢颜色 Stainless steel color	198
THWA3	三门吧台柜 Three door counter	1350x536x840		308
THWA4	四门吧台柜 Four door counter	1800x536x840		428



2℃ ~ 8℃

型号 Model	有效容积 (L) Volume	温度 (℃) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	规格 Specifications
NN-10J	500	0~8	1000	1000x760x2050	一体机 All-in-one
NN-12J	550	0~8	1000	1200x760x2050	一体机 All-in-one
NN-15J	670	0~8	1250	1500x760x2050	一体机 All-in-one
LF-20F	920	+2~+8	1230	2000x1000x2050	分体机 Split machine
LF-25F	1210	+2~+8	2330	2500x1000x2050	分体机 Split machine
NN-20J	740	2~8	1600	2000x900x2050	一体机 All-in-one
NN-25J	970	2~8	2000	2500x900x2050	一体机 All-in-one
NN-30J	1100	2~8	3000	3000x900x2050	一体机 All-in-one



2℃ ~ 8℃

型号 Model	有效容积 (L) Volume	温度 (℃) Temp.Range	功率 (W) Power	尺寸 (mm) Size LxWxH	规格 Specifications
LF-20F	920	2~8	1230	2000x900x2050	分体机 Split machine
LF-25F	1210	2~8	2330	2500x900x2050	分体机 Split machine
LF-30F	1380	2~8	3400	3000x900x2050	分体机 Split machine
LF-35F	1380	+2~+8	3400	3000x1000x2050	分体机 Split machine



0°C ~ -18°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	电压 Voltage	制冷剂 Refrigerant
FDx1.0	挂肉柜 Meat cabinet	1500x1000x2300	220V 50HZ	R134A/R404A/R290A
FDx2.0	挂肉柜 Meat cabinet	1800x1000x2300	220V 50HZ	R134A/R404A/R290A
FDx3.0	挂肉柜 Meat cabinet	2000x1000x2300	220V 50HZ	R134A/R404A/R290A
FDx4.0	挂肉柜 Meat cabinet	2400x1000x2300	220V 50HZ	R134A/R404A/R290A

0°C ~ -18°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	容积 (盘) volume	温度 (°C) Temp.Range	电压 Voltage
TYH003	单门冷藏宴会车 Single door refrigerated party car	740x815x1980	16	0~-18	110V 60HZ 220V 50HZ
TYH006	双门冷藏宴会车 Two-door refrigerated party car	1410x815x1980	32	0~-18	110V 60HZ 220V 50HZ



2°C ~ 8°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	盆数 Cans	电压 Voltage	制冷剂 Refrigerant
SG-12A	敞开式熟食柜 Deli showcase	1200x800x1300	4	110V 60HZ 220V 50HZ	R134A
SG-15A	敞开式熟食柜 Deli showcase	1500x800x1300	8	110V 60HZ 220V 50HZ	R134A
SG-18A	敞开式熟食柜 Deli showcase	1800x800x1300	10	110V 60HZ 220V 50HZ	R134A
SG-20A	敞开式熟食柜 Deli showcase	2000x800x1300	12	110V 60HZ 220V 50HZ	R134A

2°C ~ 8°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	功率 (W) Power
XTA5	熟食展示柜 Cooked food display case	1200x850x1300	450W
XTA6	熟食展示柜 Cooked food display case	1500x850x1300	550W
XTA7	熟食展示柜 Cooked food display case	1800x850x1300	650W
XTA8	熟食展示柜 Cooked food display case	2000x850x1300	750W
XTA9	熟食展示柜 Cooked food display case	2400x850x1300	850W



- 1、急速风冷冷冻，4D 匀冷技术；40 分钟左右可降至 -30°C，60 分钟可到 -40°C；
- 2、工作环境温度 32°C，湿度 65% 环保无氟制冷剂 R134A；
- 3、内外箱体使用 201 不锈钢板材加厚发泡层，断桥桥设计，使产品节能高效；
- 4、上下可调搁物架设计，兼容 GN/1 份数盆和 60x40cm 烤盘高效节能高速低噪风机；
- 5、控制方式：终了温度和终了时间；
- 6、加工功能：快速冷却 / 硬冷却快速冷冻 / 软冷冻；

0°C ~ -40°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	制冷方式 Cooling Type	温度 (°C) Temp.Range	可放盘数 Number of discs available
SDG003	三盘速冻柜 Three-plate freezer	640x850x1040	风冷 Fan cooling	0~-40	3
SDG006	六盘速冻柜 Six-plate freezer	800x900x1400	风冷 Fan cooling	0~-40	6
SDG010	十盘速冻柜 Ten plate freezer	800x900x1680	风冷 Fan cooling	0~-40	10
SDG015	十五盘速冻柜 Fifteen freezers	800x900x1970	风冷 Fan cooling	0~-40	15



+40°C ~ -15°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	烤盘尺寸 (mm) Pan size	温度 (°C) Temp.Range	制冷方式 Cooling Type
TXF006.001	单门醒发箱 Single door wake-up box	600x955x2100	400x600	+40~2	冷藏 Refrigerate
TXF006.002	单门醒发箱 Single door wake-up box	600x955x2100	400x600	+40~-15	冷冻 Freezing
TXF122.001	双门醒发箱 Double door hair box	1220x955x2100	400x600	+40~2	冷藏 Refrigerate
TXF122.002	双门醒发箱 Double door hair box	1220x955x2100	400x600	+40~-15	冷冻 Freezing

Cold Store




0°C ~ -15°C

型号 Model	名称 Name	尺寸 (mm) Size LxWxH	门数 Gate number	温度 (°C) Temp. Range	电压 (V/Hz) Voltage
TCB12A	高端储冰柜 High-end freezers	1200x890x1830	单斜门 Single bevel door	0~-15	110V 60HZ
TCB18A	高端储冰柜 High-end freezers	1830x890x2030	双斜门 Double bevel door	0~-15	110V 60HZ
TCB18B	高端储冰柜 High-end freezers	1830x765x2065	双直门 Double straight door	0~-15	110V 60HZ



The combined cold storage is mainly composed of four aspects: the refrigeration system, the piping system, the cold storage body, and the electronic control system. It has superior performance, powerful functions, long service life, and good thermal insulation effects. Both polystyrene and polyurethane All these materials have super strong heat insulation and heat insulation properties, which can quickly reduce the temperature in the warehouse and help reduce unnecessary power loss.

Customized, can be chiller or freezer.



*This information has been carefully checked and strives to be accurate. Foshan Xizhiyang Kitchen Refrigration Equipment Co.Ltd. reserves the right to change product design and specifications, subject to change with out notice.

*Design And Print: VEGAVI 136-3006-1220